

鋼板 OEM 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板



鋼板	鋼板 鋼板 鋼板
鋼板	鋼板 OEM 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板
鋼板.	DT-MC7
鋼板	210x210x600mm 鋼板 鋼板 鋼板
鋼板	鋼板
鋼板	鋼板, 鋼板, 鋼板.
MOQ	100PCS
鋼板	1 ~ 1.5mm
鋼板 鋼板	7 ~ 12 鋼板
鋼板 鋼板	25 ~ 30 鋼板
鋼板 鋼板	鋼板 鋼板 / 鋼板 / 鋼板
鋼板	鋼板 - 鋼板 - 鋼板 - 鋼板 - 鋼板 鋼板
鋼板 鋼板	EXW, FOB, CIF
鋼板 鋼板	T / T : 鋼板 30 % 鋼板 + 70 % 鋼板, PayPal, Western Union 鋼板 鋼板 鋼板
鋼板	鋼板 鋼板 鋼板 鋼板 鋼板 鋼板.
	鋼板 鋼板 鋼板 12KG 20MM EPS 鋼板
	K = K 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板 鋼板









17 〇 〇〇〇 〇〇〇 〇〇〇 Detron 〇〇〇〇〇〇 〇〇 〇〇 〇〇〇 〇 〇〇 〇〇 〇〇〇 〇〇 〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇 〇〇〇 〇 POP
〇〇〇 〇〇〇〇 〇〇 〇 〇〇〇〇 〇〇〇〇〇〇.



Supply Ability

We can produce display stand follow customer's requirements.

Quality Guaranteed:

Our skillful in house QC standby at each procedure during the production to ensure the quality of the product.

After-sale service

We take after-sale service very seriously and give the same attention to quality end results and client satisfaction as any service



[Detron 鋁合金](#) 係 鋁合金 物料, 質, 堅固耐用 而且 容易 安裝. 係 鋁合金, 而且 質 好 而且 容易 安裝. 而且 堅固耐用 而且 容易 安裝. 而且 質 好 而且 容易 安裝.







Acrylic Workshop



Wood Workshop


Metal Workshop



Screen Printing Workshop



1. 00 00 : 00 = 00 5 0 00, 00 000 00 00 000 0000000.
- 2.Inner 0 : 0000, 00 00, 00 00 00.
3. 000 00 00, 00 diop 0000 000000.



Detron 係咁嘅 咁 咁 咁 咁 咁 咁, 咁, 咁咁咁 咁咁 咁咁 咁 咁咁咁.

咁咁 咁咁 咁 咁 咁 POP 咁咁咁咁 咁 咁咁 咁 咁咁 咁 :

咁 & 咁 咁 (咁 咁 咁 咁) 咁咁 咁, 咁 咁, 咁 (咁咁, 咁咁, 咁) 咁 咁咁咁.



FAQs

Q1. 如何選擇合適的包裝材料?

A1. 根據貨物的性質、重量、體積、易碎程度等選擇合適的包裝材料。通常建議在 24 小時內完成包裝。

2 如何選擇合適的運輸方式?

A2(1). 航空 (2). 海運 (3). 陸運 (4). 鐵路 (5). Inspecton (6). 郵政 (7). 其他

3 如何選擇合適的倉庫?

A3(1) 根據貨物的性質、重量、體積、易碎程度等選擇合適的倉庫。

(2). 倉庫的地理位置、交通便利程度、倉庫設施、倉庫環境、倉庫安全等。

(3). 倉庫的設施、倉庫環境、倉庫安全、QC 等。

(4). 倉庫的設施、倉庫環境、倉庫安全、QC。

4 如何選擇合適的保險?

A4 根據貨物的性質、重量、體積、易碎程度等選擇合適的保險。通常建議在 24 小時內完成保險。

Q5 如何選擇合適的保險公司?

A5 根據貨物的性質、重量、體積、易碎程度等選擇合適的保險公司 (EMS, UPS, DHL, TNT 等)。通常建議在 24 小時內完成保險。

如何選擇合適的保險公司。請參考。