

1. 產品名稱：
 2. 產品規格：
 3. 產品用途：
 4. 產品特點：
 5. 產品包裝：
 6. 產品價格：
 7. 產品產地：
 8. 產品品牌：
 9. 產品型號：
 10. 產品重量：
 11. 產品尺寸：
 12. 產品顏色：
 13. 產品材質：
 14. 產品壽命：
 15. 產品保修：
 16. 產品說明書：
 17. 產品圖紙：
 18. 產品照片：
 19. 產品樣品：
 20. 產品測試：
 21. 產品認證：
 22. 產品標準：
 23. 產品規格：
 24. 產品性能：
 25. 產品質量：
 26. 產品安全：
 27. 產品環保：
 28. 產品節能：
 29. 產品降噪：
 30. 產品防塵：
 31. 產品防水：
 32. 產品防火：
 33. 產品防腐：
 34. 產品防銹：
 35. 產品防霉：
 36. 產品防蟲：
 37. 產品防鼠：
 38. 產品防鳥：
 39. 產品防風：
 40. 產品防雪：
 41. 產品防冰：
 42. 產品防凍：
 43. 產品防熱：
 44. 產品防濕：
 45. 產品防酸：
 46. 產品防碱：
 47. 產品防油：
 48. 產品防污：
 49. 產品防損：
 50. 產品防摔：
 51. 產品防壓：
 52. 產品防擠：
 53. 產品防拉：
 54. 產品防扯：
 55. 產品防撕：
 56. 產品防割：
 57. 產品防刺：
 58. 產品防穿：
 59. 產品防破：
 60. 產品防裂：
 61. 產品防折：
 62. 產品防斷：
 63. 產品防斷：
 64. 產品防斷：
 65. 產品防斷：
 66. 產品防斷：
 67. 產品防斷：
 68. 產品防斷：
 69. 產品防斷：
 70. 產品防斷：
 71. 產品防斷：
 72. 產品防斷：
 73. 產品防斷：
 74. 產品防斷：
 75. 產品防斷：
 76. 產品防斷：
 77. 產品防斷：
 78. 產品防斷：
 79. 產品防斷：
 80. 產品防斷：
 81. 產品防斷：
 82. 產品防斷：
 83. 產品防斷：
 84. 產品防斷：
 85. 產品防斷：
 86. 產品防斷：
 87. 產品防斷：
 88. 產品防斷：
 89. 產品防斷：
 90. 產品防斷：
 91. 產品防斷：
 92. 產品防斷：
 93. 產品防斷：
 94. 產品防斷：
 95. 產品防斷：
 96. 產品防斷：
 97. 產品防斷：
 98. 產品防斷：
 99. 產品防斷：
 100. 產品防斷：




產品名稱	1. 產品名稱：2. 產品規格：3. 產品用途：4. 產品特點：5. 產品包裝：6. 產品價格：7. 產品產地：8. 產品品牌：9. 產品型號：10. 產品重量：11. 產品尺寸：12. 產品顏色：13. 產品材質：14. 產品壽命：15. 產品保修：16. 產品說明書：17. 產品圖紙：18. 產品照片：19. 產品樣品：20. 產品測試：21. 產品認證：22. 產品標準：23. 產品規格：24. 產品性能：25. 產品質量：26. 產品安全：27. 產品環保：28. 產品節能：29. 產品降噪：30. 產品防塵：31. 產品防水：32. 產品防火：33. 產品防腐：34. 產品防銹：35. 產品防霉：36. 產品防蟲：37. 產品防鼠：38. 產品防鳥：39. 產品防風：40. 產品防雪：41. 產品防冰：42. 產品防凍：43. 產品防熱：44. 產品防濕：45. 產品防酸：46. 產品防碱：47. 產品防油：48. 產品防污：49. 產品防損：50. 產品防摔：51. 產品防壓：52. 產品防擠：53. 產品防拉：54. 產品防扯：55. 產品防撕：56. 產品防割：57. 產品防刺：58. 產品防穿：59. 產品防破：60. 產品防裂：61. 產品防折：62. 產品防斷：63. 產品防斷：64. 產品防斷：65. 產品防斷：66. 產品防斷：67. 產品防斷：68. 產品防斷：69. 產品防斷：70. 產品防斷：71. 產品防斷：72. 產品防斷：73. 產品防斷：74. 產品防斷：75. 產品防斷：76. 產品防斷：77. 產品防斷：78. 產品防斷：79. 產品防斷：80. 產品防斷：81. 產品防斷：82. 產品防斷：83. 產品防斷：84. 產品防斷：85. 產品防斷：86. 產品防斷：87. 產品防斷：88. 產品防斷：89. 產品防斷：90. 產品防斷：91. 產品防斷：92. 產品防斷：93. 產品防斷：94. 產品防斷：95. 產品防斷：96. 產品防斷：97. 產品防斷：98. 產品防斷：99. 產品防斷：100. 產品防斷：
產品規格	350x200x410mm 產品規格
產品用途	AD-1904
產品特點	1. 產品名稱：2. 產品規格：3. 產品用途：4. 產品特點：5. 產品包裝：6. 產品價格：7. 產品產地：8. 產品品牌：9. 產品型號：10. 產品重量：11. 產品尺寸：12. 產品顏色：13. 產品材質：14. 產品壽命：15. 產品保修：16. 產品說明書：17. 產品圖紙：18. 產品照片：19. 產品樣品：20. 產品測試：21. 產品認證：22. 產品標準：23. 產品規格：24. 產品性能：25. 產品質量：26. 產品安全：27. 產品環保：28. 產品節能：29. 產品降噪：30. 產品防塵：31. 產品防水：32. 產品防火：33. 產品防腐：34. 產品防銹：35. 產品防霉：36. 產品防蟲：37. 產品防鼠：38. 產品防鳥：39. 產品防風：40. 產品防雪：41. 產品防冰：42. 產品防凍：43. 產品防熱：44. 產品防濕：45. 產品防酸：46. 產品防碱：47. 產品防油：48. 產品防污：49. 產品防損：50. 產品防摔：51. 產品防壓：52. 產品防擠：53. 產品防拉：54. 產品防扯：55. 產品防撕：56. 產品防割：57. 產品防刺：58. 產品防穿：59. 產品防破：60. 產品防裂：61. 產品防折：62. 產品防斷：63. 產品防斷：64. 產品防斷：65. 產品防斷：66. 產品防斷：67. 產品防斷：68. 產品防斷：69. 產品防斷：70. 產品防斷：71. 產品防斷：72. 產品防斷：73. 產品防斷：74. 產品防斷：75. 產品防斷：76. 產品防斷：77. 產品防斷：78. 產品防斷：79. 產品防斷：80. 產品防斷：81. 產品防斷：82. 產品防斷：83. 產品防斷：84. 產品防斷：85. 產品防斷：86. 產品防斷：87. 產品防斷：88. 產品防斷：89. 產品防斷：90. 產品防斷：91. 產品防斷：92. 產品防斷：93. 產品防斷：94. 產品防斷：95. 產品防斷：96. 產品防斷：97. 產品防斷：98. 產品防斷：99. 產品防斷：100. 產品防斷：
產品包裝	100PCS
產品價格	9 ~ 18 mm
產品產地	7 ~ 12
產品品牌	25 ~ 30
產品型號	產品型號 / 產品型號 / 產品型號
產品重量	1 - 2 - 3 - 4
產品尺寸	EXW, FOB, CIF
產品顏色	T / T : 30 % 30 % + 70 % , PayPal, Western Union 30 30 30
產品材質	產品材質 12KG 20MM EPS
產品壽命	K = K 產品壽命 30 30 30









Detron Display Products Co., Ltd

Is a professional display product manufacturer. We are one of the main providers of displays for world leading retailers and famous brand owner. Since 2002, we have cooperated with a host of Global brands.





When we efforts, the whole world will make way for us
 Work devotion, recreation participation, everything to do everything, and this is our!



The wood workshop





Metal workshop



Acrylic workshop



screen printing workshop



[illegible]

Detron 10000 1000 1000 100 1 1 10000.

1. ☐ & ☐ ☐ ☐ ☐ :

1). Detron □ □, □ □, □ □ □, □ □ □ □, □ □ □ □, □ □ □ □ □ □ □ □ □ □ □ □ □ □ □.

2). Өлөк 100 : 5 = 2000 ыраа. Өлөк 2000 ыраа.

□). Detron □□ □□□□ □□ □□□ POP □□□□□ □□□□□. □□□ 10 □ □□ □□□□□ □□□ □□□□□□□□.

2. :

1). 2002 年 ISO9001 认证。

2). □□□ □□□ □□ □□□ □□□□ □□ □□□ □□ □□ □□□□ □□□□□□.

□). □□□ "□□, □ □□□, □□□, □□□ □□, □□□□□ □□□"□ □□□ □□□□.

我們 的 產品 包裝 方案。 我們 提供 專業 的 包裝 方案！



1. Final packaged: K=K 5 layers carton, hardcard to enhance the safety of cartons.
2. Inner pack: styrofoam, paper card, Moisture-proof bag.
3. The package anti-shock, passed international diop text.



⑤



①



②



③



④



我們 Detron 包裝 方案 是 根據 產品 特性 而 設計， 我們 提供 專業 的 包裝 方案。

我們 提供 的 包裝 方案 是 根據 POP 包裝 方案 而 設計。

我們 & 我們 提供 的 包裝 方案 (包裝 方案 是 根據 產品 特性)， 我們 提供 的 包裝 方案 (包裝 方案， 包裝 方案， 包裝 方案)。



FAQs

Q1. 〇〇〇 〇〇〇〇 〇 〇〇〇〇?

A1. 〇〇〇〇〇, 〇〇〇 〇〇〇〇〇 〇 24 〇〇 〇〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇 〇 〇 〇〇〇〇.

2 〇〇〇〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇?

A2. (1). 〇〇 (2). 〇〇 〇〇 (3). 〇〇 〇〇 (4). 〇〇 (5). Inspector (6). 〇〇 (7). 〇〇〇 (8). 〇〇〇 〇〇.

3 〇〇〇〇〇 〇〇〇 〇〇〇 〇〇 〇 〇 〇〇〇〇?

A3. (1). 〇〇〇 〇〇 〇〇〇 〇〇 〇 〇〇〇〇.

(2). 〇 〇〇 〇〇 〇〇〇 〇〇 〇 〇〇〇 〇〇 〇〇 〇〇〇 〇〇 〇〇〇〇 〇〇〇〇〇.

(〇). 〇〇 〇 〇〇 〇〇〇 〇〇 〇 〇〇 QC.

(4). 〇〇 〇〇 〇 〇〇 〇〇 〇 〇〇〇 QC.

