

□□□ □□□ □□ □□ □□ □□ □□ □□□□□ □



□□ □□	□□ □□□□□ □
□□□	□□□ □□□ □□ □□ □□ □□ □□□□□ □
□□ □□.	DT-ACC2
□□	87x125x160mm □□ □□□ □□
□□□	□□□
□□	□□□, □□, □□ □.
MOQ	100PCS
□□	2 ~ 5mm
□□ □□	7 ~ 12 □
□□ □□	25 ~ 30 □
□□ □□	□□□ □□ / □□□ / □□
□□	□ - □□ - □□ - □□ - □□□ □□
□□ □□	EXW, FOB, CIF
□□ □□	T / T : □□ □ 30 % □□ + 70 % □□, PayPal, Western Union □□ □□ □□
□□	□□□ □□ □□□□ □□□□ □□□□□.
	□□ □□□□□ 12KG 20MM EPS □
	K = K □□ □□□ □□ □ □ □ □□ □□ □□













17 〇 〇〇〇 〇〇〇 〇〇〇 Detron 〇〇〇〇〇〇 〇〇 〇〇 〇〇〇 〇 〇〇 〇〇 〇〇〇 〇〇 〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇 〇〇〇 〇 POP
〇〇〇 〇〇〇〇 〇〇 〇 〇〇〇〇 〇〇〇〇〇〇.



Supply Ability

We can produce display stand follow customer's requirements.

Quality Guaranteed:

Our skillful in house QC standby at each procedure during the production to ensure the quality of the product.

After-sale service

We take after-sale service very seriously and give the same attention to quality end results and client satisfaction as any service



[Detron 鋁合金](#) 係 鋁合金 物料, 質, 堅固耐用 而且 容易 安裝. 係 鋁合金, 而且 容易 安裝 而且 堅固耐用 而且 容易 安裝 而且 堅固耐用 而且 容易 安裝.







Acrylic Workshop



Wood Workshop

Metal Workshop



Screen Printing Workshop



1. 鋼板 : 鋼 = 鋼 5 鋼板, 鋼板 鋼板 鋼板 鋼板 鋼板.
2. Inner 鋼 : 鋼板, 鋼板, 鋼板 鋼板.
3. 鋼板 anti-shock, 鋼板 鋼板 diop 鋼板.



Detron 係咁嘅 咁 咁 咁 咁 咁 咁, 咁, 咁咁咁 咁咁 咁咁 咁 咁咁咁.

咁咁 咁咁 咁 咁 咁咁 POP 咁咁咁咁 咁 咁咁 咁 咁咁 咁 :

咁 & 咁 咁 (咁 咁 咁 咁) 咁咁 咁, 咁 咁, 咁 (咁咁, 咁咁, 咁) 咁 咁咁咁.



FAQs

Q1. 如何選擇合適的包裝材料?

A1. 根據產品的重量、體積、形狀、易碎程度等因素，選擇合適的包裝材料。通常情況下，24 小時內出貨的包裹，應選擇堅固耐用的包裝材料。

2 如何選擇合適的包裝尺寸?

A2(1). 包裝 (2). 包裝 (3). 包裝 (4). 包裝 (5). .Inspecton (6). 包裝 (7). 包裝

3 如何選擇合適的包裝顏色?

A3(1) 包裝 顏色 應 選擇 與 產品 顏色 相 協調 的 顏色。

(2). 包裝 顏色 應 選擇 與 產品 顏色 相 協調 的 顏色， 且 應 選擇 耐 磨 擦 的 顏色。

(3). 包裝 顏色 應 選擇 與 產品 顏色 相 協調 的 顏色， 且 應 選擇 耐 磨 擦 的 顏色， 且 應 選擇 耐 磨 擦 的 顏色。

(4). 包裝 顏色 應 選擇 與 產品 顏色 相 協調 的 顏色， 且 應 選擇 耐 磨 擦 的 顏色。

4 如何選擇合適的包裝圖案?

A4 包裝 圖案 應 選擇 與 產品 圖案 相 協調 的 圖案， 且 應 選擇 耐 磨 擦 的 圖案。 包裝 圖案 應 選擇 與 產品 圖案 相 協調 的 圖案， 且 應 選擇 耐 磨 擦 的 圖案。

Q5 如何選擇合適的包裝品牌?

A5 包裝 品牌 應 選擇 與 產品 品牌 相 協調 的 品牌 (EMS, UPS, DHL, TNT 或 FEDEX) 或 品牌。 包裝 品牌 應 選擇 與 產品 品牌 相 協調 的 品牌 或 品牌， 且 應 選擇 耐 磨 擦 的 品牌。

如何選擇合適的包裝材料。 [包裝材料](#)。