

□□ □□□ □□ □ **PVC** □□ □□ □□□ □□□□□ □□□



□□ □□	□□ □□□ □□□
□□□	□□ □□□ □□ □ PVC □□ □□ □□□□ □□□
□□ □□.	DT-AC15
□□	260x20x180mm □□ □□□ □□
□□□	PVC
□□	□□□, □□, □□ □.
MOQ	100PCS
□□	2 ~ 5mm
□□ □□	7 ~ 12 □
□□ □□	25 ~ 30 □
□□ □□	□□□ □□ / □□□ / □□
□□	□ - □□ - □□ - □□ - □□□ □□
□□ □□	EXW, FOB, CIF
□□ □□	T / T : □□ □ 30 % □□ + 70 % □□, PayPal, Western Union □□ □□ □□
□□	□□□ □□ □□□□ □□□□ □□□□□.
	□□ □□□□□ 12KG 20MM EPS □
	K = K □□ □□□ □□ □ □ □ □□ □□ □□













Supply Ability

We can produce display stand follow customer's requirements.

Quality Guaranteed:

Our skillful in house QC standby at each procedure during the production to ensure the quality of the product.

After-sale service

We take after-sale service very seriously and give the same attention to quality end results and client satisfaction as any service



[Detron](#) 鋁合金 鋁板 鋁管, 鋁, 鋁板鋁管 鋁板 鋁管 鋁管鋁板. 鋁 鋁管, 鋁板 鋁管 鋁板 鋁管鋁板鋁管 鋁 鋁管 鋁板 鋁管 鋁管鋁板 鋁板 鋁管 鋁管鋁板 鋁板 鋁管 鋁管鋁板.







Acrylic Workshop



Wood Workshop

Metal Workshop



Screen Printing Workshop



1. 00 00 : 00 = 00 5 0 00, 00 000 00 00 000 0000000.
- 2.Inner 0 : 0000, 00 00, 00 00 00.
3. 000 00 00, 00 diop 0000 000000.



Detron 係咁嘅 咁 咁 咁 咁 咁 咁, 咁, 咁 咁 咁 咁 咁 咁 咁 咁.

咁 咁 咁 咁 咁 咁 POP 咁 咁 咁 咁 咁 咁 咁 :

咁 & 咁 咁 (咁 咁 咁 咁) 咁 咁 咁, 咁 咁, 咁 (咁, 咁, 咁) 咁 咁 咁.



FAQs

Q1. 如何選擇適合的包裝材料?

A1. 包裝材料應能保護產品免受損壞，並符合 24 小時內運送的要求。

2 如何選擇適合的包裝尺寸?

A2(1). 包裝 (2). 包裝 (3). 包裝 (4). 包裝 (5). .Inspecton (6). 包裝 (7). 包裝

3 如何選擇適合的包裝材料?

A3(1) 包裝材料應能保護產品免受損壞。

(2). 包裝材料應能保護產品免受損壞。

(3). 包裝材料應能保護產品免受損壞 QC 包裝。

(4). 包裝材料應能保護產品免受損壞 QC.

4 如何選擇適合的包裝材料?

A4 包裝材料應能保護產品免受損壞。包裝材料應能保護產品免受損壞。

Q5 如何選擇適合的包裝材料?

A5 包裝材料應能保護產品免受損壞，並符合 24 小時內運送的要求。包裝材料應能保護產品免受損壞。

包裝材料應能保護產品免受損壞。包裝材料。