

□□□ □□ **OEM** □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□□
□□ □



| | |
|--------|--|
| □□ □□ | □□ □□□□□ □ |
| □□□ | □□□ □□ OEM □□□ □□ □□ □□□ □□ □□□ □□ □□□□□ □ |
| □□ □□. | DT-MCF1 |
| □□ | 220x400x1600mm □□ □□□ □□ |
| □□□ | □□ |
| □□ | □□□, □□, □□ □. |
| MOQ | 100PCS |
| □□ | 1 ~ 1.5mm |
| □□ □□ | 7 ~ 12 □ |
| □□ □□ | 25 ~ 30 □ |
| □□ □□ | □□□ □□ / □□□ / □□ |
| □□ | □ - □□ - □□ - □□ - □□□ □□ |
| □□ □□ | EXW, FOB, CIF |
| □□ □□ | T / T : □□ □ 30 % □□ + 70 % □□, PayPal, Western Union □□ □□ □□ |
| □□ | □□□ □□ □□□□ □□□□ □□□□□. |
| | □□ □□□□□ 12KG 20MM EPS □ |
| | K = K □□ □□□ □□ □ □ □ □□ □□ □□ |









ETRON
Custom Designed Displays





Supply Ability

We can produce display stand follow customer's requirements.

Quality Guaranteed:

Our skillful in house QC standby at each procedure during the production to ensure the quality of the product.

After-sale service

We take after-sale service very seriously and give the same attention to quality end results and client satisfaction as any service



[Detron 德頓](#) 係 廣東 汕頭, 汕, 專營 各種 展示 器材 批發 零售. 我 公司, 產品 均 係 採用 高品質 材料 製造 出來 係 批發 零售 均 係 歡迎 各界 人士 垂詢 洽談 詳情 請 電 我 公司.







Acrylic Workshop



Wood Workshop


Metal Workshop



Screen Printing Workshop



1. 00 00 : 00 = 00 5 0 00, 00 000 00 00 000 0000000.
- 2.Inner 0 : 0000, 00 00, 00 00 00.
3. 000 00 00, 00 diop 0000 000000.



Detron 公司 的 产 品 均 采 用 最 佳 材 料 及 工 艺 精 心 研 究 开 发 。

其 产 品 均 采 用 最 佳 材 料 及 工 艺 精 心 研 究 开 发 。

其 产 品 均 采 用 最 佳 材 料 及 工 艺 精 心 研 究 开 发 。



Q1. 如何選擇合適的包裝材料?

A1. 根據產品的重量、體積、易碎程度等選擇合適的包裝材料。通常建議使用 24 英寸的包裝箱。

2 如何選擇合適的運輸方式?

A2(1). 航空 (2). 鐵路 (3). 公路 (4). 水運 (5). Inspecton (6). 郵政 (7). 自運

3 如何進行產品檢驗?

A3(1) 進行外觀檢查，確保產品無損壞。

(2). 檢查產品數量、規格、顏色等。

(3). 進行質量檢驗，如 QC 檢驗。

(4). 進行包裝檢查，確保包裝牢固。

4 如何進行產品包裝?

A4 根據產品特點選擇合適的包裝材料，如泡沫、紙箱等。確保包裝牢固，防止損壞。

Q5 如何進行產品運輸?

A5 根據產品特點、目的地、預算等因素選擇合適的運輸方式，如 EMS、UPS、DHL、TNT 等。確保運輸過程順利，產品安全。

如何進行產品包裝? [如何進行產品包裝?](#)