


# □□□ □□□ **OEM** □□ □□□□ □□ □□ □□□ □□□□ □□ □



□□ □□	□□□ □□□□ □□□□□ □□□□
□□□□	□□□ □□□ <b>OEM</b> □□ □□□□ □□ □□ □□□ □□□□ □□ □
□□ □□.	DT-MF27
□□	750x400x1800mm □□ □□□ □□
□□□□	□□
□□	□□□□, □□, □□ □.
MOQ	100PCS
□□	1 ~ 1.5mm
□□ □□	7 ~ 12 □
□□ □□	25 ~ 30 □
□□ □□	□□□ □□ / □□□□ / □□
□□	□ - □□ - □□ - □□ - □□□□ □□
□□ □□	EXW, FOB, CIF
□□ □□	T / T : □□ □ 30 % □□ + 70 % □□, PayPal, Western Union □□ □□ □□
□□	□□□□ □□ □□□□ □□□□□ □□□□□□.
	□□ □□□□□ 12KG 20MM EPS □
	K = K □□ □□□ □□ □ □ □ □□ □□ □□









17 个 显示 柜 的 内部 Detron 穿孔板 的 前 面 板 是 由 铝 制 成 的 且 是 可 调 的 POP 显示 柜 的 前 面 板 是 由 铝 制 成 的 且 是 可 调 的。



### Supply Ability

We can produce display stand follow customer's requirements.

### Quality Guaranteed:

Our skillful in house QC standby at each procedure during the production to ensure the quality of the product.

### After-sale service

We take after-sale service very seriously and give the same attention to quality end results and client satisfaction as any service



[Detron 鋁合金](#) 係 鋁合金 物料, 質, 堅固耐用 而且 容易 安裝. 係 鋁合金, 而且 質 堅 耐用 而且 容易 安裝. 而且 堅固耐用 而且 容易 安裝 而且 容易 安裝 而且 容易 安裝.









Acrylic Workshop



Wood Workshop

Metal Workshop



Screen Printing Workshop



1. 鋼板 : 鋼 = 鋼 5 鋼板, 鋼板 鋼板 鋼板 鋼板 鋼板.
2. Inner 鋼 : 鋼板, 鋼板 鋼, 鋼板 鋼板.
3. 鋼板 anti-shock, 鋼板 鋼 diop 鋼板.



Detron 係咁嘅 咁 咁 咁 咁 咁 咁, 咁, 咁 咁 咁 咁 咁 咁 咁 咁.

咁 咁 咁 咁 咁 咁 POP 咁 咁 咁 咁 咁 咁 咁 :

咁 & 咁 咁 (咁 咁 咁 咁) 咁 咁 咁, 咁 咁, 咁 (咁, 咁, 咁) 咁 咁 咁.



## FAQs

Q1. 如何選擇合適的包裝材料？

A1. 根據產品的重量、體積和易碎程度，選擇合適的包裝材料。通常，重量較重、體積較大的產品，需要選擇強度較高的材料，如瓦楞紙箱。而易碎產品則需要選擇緩衝材料，如珍珠棉、氣泡膜等。

2 如何選擇合適的包裝尺寸？

A2(1). 包裝 (2). 包裝 (3). 包裝 (4). 包裝 (5). .Inspecton (6). 包裝 (7). 包裝

3 如何選擇合適的包裝顏色？

A3(1) 包裝 包裝 包裝 包裝 包裝 包裝.

(2). 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝.

(3). 包裝 包裝 包裝 包裝 包裝 QC 包裝 包裝.

(4). 包裝 包裝 包裝 包裝 包裝 QC.

4 如何選擇合適的包裝品牌？

A4 包裝 包裝 包裝 TT 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝.

Q5 如何選擇合適的包裝公司？

A5 包裝 包裝 包裝, 包裝 包裝 (EMS, UPS, DHL, TNT 或 FEDEX) 包裝 包裝. 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝 包裝.

包裝 包裝 包裝 包裝 包裝. 包裝.